



Fig 1,





F15 2



Bod-493





Figure 61

Decoding 16 Probes



F14 4

Figure 1

128 bead types (4013 beads total)

Four dyes (Bod493, BodR6G, Bod564, BodTXR)

Four Stages





figure 21

GreyScale Decoding

A Code S1 S2 S3									
ſ	Code	_	<u>52</u>	_	S3 100				
t	1		00		<u>∞</u>		씖		
t	2		00		00		10		
Ì	3		00	_1	00				
Ī	4		00		40		읚		
١	5		00		40	Ι	띎		
1	6		100	_	40	١-,			
	7		100	L_	10		00 40		
	8		100	! _	10	├	ᇷ		
	9	1_	100	1_	10	١-,	100		
	10		40		100	╀	40		
	11		40		100	╂-	10	1	
	12		40		100			ł	
	13		40		40		100	1	
	14		40		40		40	4	
			40		40		10	4	
	16		40		10		100	H	
	17		40		10		40		
	18		40		10		10		
	19		10		100		100		
	20		10		100		10		
	2		10		100				
	2	2	10		40		100		
	23		10		40		10		
	24		10		40				
	25			10		10		100	
	26		1_	10		10	10		
	27		1	10		10		110	






Figure 31






Figure 7A








Fig. 1 Base Block Concept, Isometric View





Fig. 2 Base Block Concept, Cross Section Side View

Herry Harry course stands from the stands that the stands there are stands there is not the stands that the stands that the stands there is not the stands the stands there is no stands the stands th

Figure 10



To Page No.....

F




Figure 10 (contd)

ANALYTICAL HYBRIDIZATION




Figure 11




Figure 12

Figure (3